



FIRE DANGER -- North Coast Range

Maximum, Average, and 90th Percentile, based on 15 years data



Fire Danger Area:

- North Coast Range
- 001 and 002
- SIG - NOCR
- Meets NWCG Wx Station Standards



Fire Danger Interpretation:

- EXTREME** – Use extreme caution
- High** – Watch for change
- Moderate** – Lower Potential, but always be aware


Maximum – Highest Energy Release Component by day for 2007 - 2021

Average -- shows peak fire season over 15 years (2294 observations)

90th Percentile -- 10% of the 2294 days from 2007 - 2021 had an Energy Release Component above 29

Local Thresholds - Watch out: Combinations of any of these factors can greatly increase fire behavior:
 20+ Wind Speed over 15 mph, RH less than 25%,
 Temperature over 80, 10-Hour Fuel Moisture less than 6

Years to Remember: 2014 2017



Fuel Model: Y - Timber (2016)

Remember what Fire Danger tells you:

- ✓ Energy Release Component gives seasonal trends calculated from temperature, humidity, daily temperature & rh ranges, and precip duration.
- ✓ Wind is NOT part of ERC calculation.
- ✓ Watch local conditions and variations across the landscape – Fuel, Weather, Topography.
- ✓ Listen to weather forecasts -- especially WIND.

Past Experience:

- East wind events are associated with warm and dry air masses which lowers RH's and dries out fuels
- The Scoggins Creek fire grew to approximately 200 acres in the first 48 hours under sustained easterly winds.
- Haines 5 or 6 can lead to rapid fire growth and plume dominated fire
- Lichen draped fuels become available near 35% RH, increasing the likelihood of canopy fire
- NOCR SIG = Miller, Rye Mountain, and Wilkinson Ridge

Responsible Agency: USFS

FF+5 0 build 20210317 06/16/2022-11:12

Design by NWCG Fire Danger Working Team