


Filling a Configuration Request with a Single Resource

An assignment roster is created when filling a request that has a configuration. That request is called the *parent request*. As a dispatcher, you work with the assignment roster to generate the subordinate requests for the parent request. To generate the assignment roster, you must first fill the parent. You then have several options for filling the configuration.

This document describes how to fill with a single resource.



REQUEST SUMMARY: TX-TXF-000012 : E-3

TEXAS INTERAGENCY COORDINATION CENTER

FILLED

Request	TX-TXF-000012 : E-3	Incident	2020 NFGT Prescribed Fire Support (TX-TXF-000012)
Requesting Dispatch	Texas Interagency Coordination Center	Incident Contacts	30 contact[s]
Requesting Dispatch Contacts	4 contact[s]	Incident Type	Fire - Prescribed
Catalog	Equipment	Point Of Origin	2020 NFGT Prescribed Fire Support
Catalog Item	Engine, Type 6	Dispatching Org	Texas Interagency Coordination Center
Claimed By:		Jurisdiction	National Forests and Grasslands in Texas
Resource:	ENGINE - T6		

INFO ROSTERS TRAVEL SUPPORT REQ UNFILL

Filling Options*

Fill With Single Resource

Set Fill

- 1 Navigate to the Manage Request screen for the filled request you want to work with.
- 2 Click the Rosters tab.
- 3 Click the Edit icon in the Filling Options* drop-down.
- 4 Choose Fill With Single Resource from the Filling Options drop-down.
- 5 Click Set Fill. You can add the roster later.

Notes: When filling with a single resource, the selected resource cannot be an overhead group and cannot be associated with a CWN/AGR contract. The selected request cannot be a support request.